



LIGHTWAY 5 OUTDOOR

Product Installation guide

IP66



220-240V~
50/60 Hz




INSTALLATION INSTRUCTIONS


DISCLAIMER

1. Turn off electrical power before starting the installation of the light fixture.
2. The feeding voltage must not exceed the specified fixture voltage.
3. This product must be installed by an eligible electrician.
4. Make sure the luminaire is mounted to a secure structure. Failure to mount the fixture correctly could result in serious injury.
5. This luminaire is class 1, it must be earthed in a reliable way.
6. The light source of this is not replaceable, When light source reach the end of life the whole luminaire shall be replaced
7. Wear gloves and safety glasses at all times when removing the luminaire from carton, installing, servicing or performing maintenance
8. Do not install damaged product! This luminaire is properly packed to avoid being damaged during transit. Inspect to confirm before installation. Any damaged or broken part during or after assembly should be replaced.
9. Unauthorized repairs or modifications will void warranty.


Adjustable Brackets



Extended Adjustable Brackets



Floor Fixed Brackets



Dimensions in mm.

VICE




projects@vicelighting.com - www.vicelighting.com

Lebanon 11-0125 - Beirut +961 1 585000 - France 7502 Paris + 33 06 75 32 73 23


LIGHTWAY 5 OUTDOOR

Product Installation guide


Brackets Assembly




1. Add the polycarbonate washer provided with the fixture.



2. Add the base to the bracket



3. Slide the M6 Screw with install the spring Washer and fix it with a stop Nut.




4. Tighten the Screw .


LIGHTWAY 5 OUTDOOR

Product Installation guide

Adjustable Brackets




Floor Fixed Brackets



- Screw the brackets to the floor using an electrical hand driller than clip in the profile

Electrical Wiring for Individual fixture (Side View)




LIGHTWAY 5 OUTDOOR

Product Installation guide


Electrical Wiring for continuous run

For Non Dimmable




Brown :Line
Blue : Neutral
Green/Yellow : Ground

DALI Dimmable



Brown :Line
Blue : Neutral
Green/Yellow : Ground
Black : DALI
Grey : DALI

0/1-10V Dimmable



Brown :Line
Blue : Neutral
Green/Yellow : Ground



Brown : DIM +
Blue : DIM -

(*) : Do not exceed 880W per feeding.